

Lakeland Industries

CleanMax® Sterility Certificates

Find your lot number below and click the link to access sterility certificates.

Lot Numbers – Sorted By Most Recent

- CR20170808
- CR20180212
- CR20180529
- CR20181103
- CR20190620
- CS20200330US
- CS20200903US
- CS20210106-US
- CS20210625-US
- CS20210812-US
- CS20211201-US
- CS20220301-US
- CS20220303-US
- CS20220823-US
- CS20220926-US
- CS20230406-AP
- CS20230602-AP
- CS20230421-US
- CS20230907-AP
- CS20231107-AP
- CS20230920-US
- CS20230330-US
- CS20240130-AP
- CS20230221-US
- CS20230118-US (04-09-23)
- CS20230117-US (03-23-23)
- CS20230118-US (03-23-23)
- CS20221222-US
- CS20221210-US
- CS20221202-US
- CS20221026-US
- CS20220815-EU-2
- CS20220815-EU-1
- CS20210609-EU
- CS20210115-EU
- CS20231113-US
- CR20171216
- CR20180201
- CR20180820
- CR20190313A
- CS20200827US
- CS20201005US (M2100174B)
- CS20201228-US
- CS20210324-US
- CS20210518-US
- CS20211202-US
- CS20220212-US
- CS20220302-US
- CS20220816-US
- CS20210927-US
- CS20230303-CHILE
- CS20230422-US
- CS20230518-US
- CS20230623-US
- CS20231110-US
- CS20230919-US
- CS20240111-AP
- CS20231111-US
- CS20231219-US
- CS20230118-US (03-23-23)
- CS20230221-US
- CS20230117-US (04-09-23)
- CS20230118-US (04-09-23)
- CS20221212-US
- CS20221209-US
- CS20221116-US
- CS20221006-US
- CS20220228-US
- CS/CM20220816-EU
- CS20210409-EU
- CS20230830-US